



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

NICARAGUA.

Report from Managua.

CONSULATE OF THE UNITED STATES,
Managua, Nicaragua, June 15, 1899.

SIR: In obedience to an order issued by the State Department, dated May 20, I report to you that there is no yellow fever existing in this consular district at the present time.

I am, sir, your obedient servant, CHESTER DONALDSON,
United States Consul.

The SUPERVISING SURGEON-GENERAL,
U. S. Marine-Hospital Service.

SAN SALVADOR.

Yellow fever in the city of San Salvador.

DEPARTMENT OF STATE,
Washington, D. C., June 30, 1899.

SIR: I have the honor, by direction of the Secretary of State, to advise you for the information of the Marine-Hospital Service, that this Department is to-day in receipt of an unsigned cablegram from San Salvador, Salvador, which is supposed to be from the consul of the United States at that place and which reads as follows: "Secretary of State, Washington: Yellow."

I have the honor to be, sir, your obedient servant,
THOS. W. CRIDLER,
Third Assistant Secretary.

The honorable the SECRETARY OF THE TREASURY.

FOREIGN STATISTICAL REPORTS.

BRITISH GUIANA—*Demerara*.—Month of April, 1899. Estimated population, 122,817. Total number of deaths, 204. No contagious diseases reported.

CUBA—*Nuevitas*.—Month of June, 1899. Estimated population, 2,248. Total number of deaths, 10. No contagious diseases.

FRANCE—*Rouen*.—Month of May, 1899. Estimated population, 112,657. Total number of deaths, 279, including enteric fever, 2; measles, 8; scarlet fever, 1; whooping cough, 1, and 45 from phthisis pulmonalis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 33 great towns in England and Wales during the week ended June 17, 1899, correspond to an annual rate of 16.5 a thousand of the aggregate population, which is estimated at 11,404,408. The highest rate was recorded in Manchester, viz, 24.8, and the lowest in Croydon, viz, 9.0.

London.—One thousand three hundred and sixteen deaths were registered during the week, including measles, 64; scarlet fever, 7; diphtheria, 35; whooping cough, 35; enteric fever, 6, and diarrhea and dysentery, 12. The deaths from all causes correspond to an annual

rate of 15.1 a thousand. In Greater London, 1,714 deaths were registered, corresponding to an annual rate of 13.7 a thousand of the population. In the "outer ring" the deaths included 10 from diphtheria, 16 from measles, 1 from scarlet fever, and 7 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended June 17, 1899, in the 23 principal town districts of Ireland was 21.1 a thousand of the population, which is estimated at 1,053,188. The lowest rate was recorded in Clonmel, viz, 0.0, and the highest in Galway, viz, 41.5 a thousand. In Dublin and suburbs 144 deaths were registered, including diphtheria, 1; enteric fever, 1; influenza, 5; measles, 1; scarlet fever, 1, and whooping cough, 4.

Scotland.—The deaths registered in 8 principal towns during the week ended June 17, 1899, correspond to an annual rate of 17.9 a thousand of the population, which is estimated at 1,587,414. The lowest mortality was recorded in Perth, viz, 13.5, and the highest in Aberdeen, viz, 21.9 a thousand. The aggregate number of deaths registered from all causes was 546, including diphtheria, 8; measles, 11; scarlet fever, 8, and whooping cough, 10.

JAMAICA.—Three weeks ended June 17, 1899. Estimated population, 694,866. Total number of deaths not reported. No contagious diseases reported.

MEXICO—Guerrero.—Three months ended May 31, 1899. Estimated population, 6,500. Total number of deaths, 52, including measles, 2; influenza, 1; smallpox, 1, and 4 from phthisis pulmonalis.

NORFOLK ISLAND.—Month of March, 1899. Estimated population, 846. One death from phthisis.

Month of April. One death from phthisis.

STRAITS SETTLEMENTS—Singapore.—Month of April, 1899. Estimated population, 97,111. Total number of deaths, 626, including beriberi, 82; smallpox, 13, and 106 from phthisis pulmonalis.